











WE HAVE A DEEP ATTITUDE





DRAGFLOW

ULTIMATE EFFICIENCY

INDUSTRY

MINING

DREDGING



About Dragflow

Dragflow was born at the end of the 1980's as a manufacturer of heavy duty submersible agitator pumps specifically designed for handling slurries with a high content of abrasive solids.

Thanks to the passion and brilliance of its team of technicians and engineers, Dragflow has proven to be not just a simple alternative for handling solids with conventional products and systems, but provides solutions for those clients operating in specialized sectors who must face extreme conditions and solve very difficult applications. Many successful cases and customer satisfaction have encouraged us to continue with the research and further development of our products.

WE HAVE A DEEP ATTITUDE



Technology

As a recognized leader in the production and marketing of submersible dredge pumps, Dragflow has gained over the years remarkable international experience and first rate reputation in the production of dredges, for marine and energy sectors as well as in mining for minerals and other materials.

Thanks to the experience in leading technology projects, Dragflow continuously enhances its ability to deliver high-quality products.

People

The Dragflow team constantly works not only to find new technological solutions that improve the performance of its products, but also to design specific solutions for contractors and end users, optimizing sustainable operations with energy savings and reducing the environmental impact and overall costs.

Quality and Service

Dragflow products are made with an exceptional structural quality to achieve low maintenance and service costs as well as long life of components and wear parts.

Dragflow invested in ISO9001 Quality Certification and in its information systems, because it believes in the importance of business process management, not only for improving efficiency but also to provide excellent service to Customers.

With its distribution network around the world, Dragflow is able to give consultancy, service and assistance worldwide.

Proven Worldwide - Global Sales And Service Presence

Dragflow pumps are being used in the world's harshest environments. Our global sales and service network ensures that we provide the highest level of sales and after-sales service.




HEAVY DUTY ELECTRIC PUMPS

Submersible heavy duty agitator pumps.

Main features:


- ▼ All Pumps have standard high efficiency agitator to lift settled solids.
- ▼ High abrasion resistance with high chrome wear parts.
- ▼ Low rotation speed to reduce wear effect.
- ▼ Able to handle up to 70% solids by weight.
- ▼ All electric motors are class H with high service factor.

Electric pumps are available in 50Hz and 60Hz versions.
Certification CE/UL/CSA.



HEAVY DUTY EL5 - EL12,5

Pump Model	Delivery		Capacity		Head		Power	R.P.M. (50/60Hz)	Solid Handling		Weight	
	mm	inch	m³/h	gpm	m	ft	HP/kW		mm	inch	kg	Lbs
EL5	80	3	30	132	12	39	5 / 3,7	1450 / 1750	20	0,8	185	410
EL7,5	100	4	60	264	12	39	7,5 / 5,5	1450 / 1750	25	1,0	250	550
EL7,5S	100	4	60	264	12	39	10 / 7,5	1450 / 1750	25	1,0	260	575
EL10	100	4	60	264	15	49	10 / 7,5	1450 / 1750	25	1,0	260	575
EL10S	100	4	60	264	15	49	12,5 / 9	1450 / 1750	25	1,0	270	595
EL12,5	100	4	60	264	19	62	12,5 / 9	1450 / 1750	25	1,0	270	595
EL12,5S	100	4	60	264	19	62	15 / 11	1450 / 1750	25	1,0	270	595



HEAVY DUTY EL25 - EL60 / EL110 - EL200

Pump Model	Delivery		Capacity		Head		Power HP/kW	R.P.M. (50/60Hz)	Solid Handling		Weight	
	mm	inch	m³/h	gpm	m	ft			mm	inch	kg	Lbs
EL25A	100	4	100	440	21	69	25 / 18	980 / 1180	35	1,4	680	1500
EL25B	150	6	140	616	17	56	25 / 18	980 / 1180	35	1,4	695	1530
EL35A	100	4	90	396	31	102	35 / 26	980 / 1180	35	1,4	860	1895
EL35B	150	6	140	616	27	89	35 / 26	980 / 1180	35	1,4	870	1920
EL35HC	150	6	210	925	15	49	35 / 26	980 / 1180	35	1,4	750	1655
EL60A	150	6	200	881	26	85	60 / 44	980 / 1180	60	2,4	1005	2215
EL60B	200	8	350	1541	20	66	60 / 44	980 / 1180	60	2,4	1025	2260
EL60HC	250	10	720	3170	5	16	60 / 44	980 / 1180	90	3,5	1300	2865
EL606A	150	6	240	1057	38	125	80 / 60	NA / 1180	60	2,4	1200	2645
EL606B	200	8	420	1849	30	98	80 / 60	NA / 1180	60	2,4	1220	2690
EL604A	150	6	200	881	42	138	100 / 75	1450 / 1750	60	2,4	1070	2360
EL604B	200	8	400	1761	27	89	100 / 75	1450 / 1750	60	2,4	1085	2390
EL1204A	150	6	200	881	47	154	120 / 90	1450 / 1750	60	2,4	1200	2645
EL1204B	200	8	400	1761	37	121	120 / 90	1450 / 1750	60	2,4	1220	2690
EL1204HC	250	10	720	3170	16	52	120 / 90	1450 / NA	90	3,5	1400	3085

Pump Model	Delivery		Capacity		Head		Power HP/kW	R.P.M. (50/60Hz)	Solid Handling		Weight	
	mm	inch	m³/h	gpm	m	ft			mm	inch	kg	Lbs
EL110A	200	8	350	1541	30	98	110 / 80	750 / 900	60	2,4	2750	6065
EL110B	250	10	450	1981	27	89	110 / 80	750 / 900	60	2,4	2800	6175
EL180A	200	8	350	1541	40	131	176 / 130	980 / 1180	60	2,4	2750	6065
EL180B	250	10	450	1981	36	118	176 / 130	980 / 1180	60	2,4	2800	6175
EL200A	200	8	350	1541	48	157	200 / 150	980 / 1180	60	2,4	2900	6395
EL200B	250	10	450	1981	44	144	200 / 150	980 / 1180	60	2,4	2900	6395
EL150A	250	10	720	3170	22	72	150 / 110	600 / 720	120	4,7	4520	9944
EL150B	300	12	900	3963	18	59	150 / 110	600 / 720	120	4,7	4570	10075

SUPER DUTY AND HIGH HEAD ELECTRIC PUMPS

SUPER DUTY

Dragflow has developed a unique range of pumps for extreme heavy duty applications. Pumps in this range are designed with oversized motor and exceptional structural quality to work in applications where all other pumps fail.

- ▼ Slurries up to 1,7 ton/m³.
- ▼ Low operating RPM to reduce wear effect.
- ▼ Unique lip seal system with front deflector to prevent fine materia to penetrate into seals.
- ▼ Electric motor in class H with high service factor.




SUPER DUTY PUMPS

Pump Model	Delivery		Capacity		Head		Power HP/kW	R.P.M. (50/60Hz)	Solid Handling		Weight	
	mm	inch	m ³ /h	gpm	m	ft			mm	inch	kg	Lbs
EL7,5SS	100	4	60	264	12	39	12,5 / 9	1450 / 1750	25	1,0	260	575
EL10SS	100	4	60	264	15	49	15 / 11	1450 / 1750	25	1,0	260	575
EL12,5SS	100	4	60	264	17	56	18 / 13	1450 / 1750	25	1,0	290	640
EL25SA	100	4	100	440	21	69	35 / 26	980 / 1180	35	1,4	960	2115
EL25SB	150	6	140	616	17	56	35 / 26	980 / 1180	35	1,4	970	2140
EL35SA	100	4	90	396	31	102	60 / 44	980 / 1180	35	1,4	950	2095
EL35SB	150	6	140	616	27	89	60 / 44	980 / 1180	35	1,4	960	2115
EL354SA	100	4	60	264	46	151	60 / 44	1450 / 1750	35	1,4	1040	2295
EL354SB	150	6	120	528	39	128	60 / 44	1450 / 1750	35	1,4	1070	2360
EL60SA	150	6	200	881	26	85	80 / 60	980 / 1180	60	2,4	1200	2645
EL60SB	200	8	350	1541	20	66	80 / 60	980 / 1180	60	2,4	1220	2690
EL60SHC	250	10	720	3170	5	16	80 / 60	980 / 1180	90	3,5	1300	2865
EL604SA	150	6	200	881	42	138	120 / 90	1450 / 1750	60	2,4	1200	2645
EL604SB	200	8	400	1761	28	92	120 / 90	1450 / 1750	60	2,4	1220	2690

HIGH HEAD HEAVY DUTY

High Head pumps are the ultimate innovation in heavy duty pumps. These pumps are designed to handle everything, from dirty water to the heaviest slurries, to a higher level than before.

SUPER DUTY AND HIGH HEAD ELECTRIC PUMPS



HIGH HEAD - HEAVY DUTY PUMPS

Pump Model	Delivery		Capacity		Head		Power HP/kW	R.P.M. (50/60Hz)	Solid Handling		Weight	
	mm	inch	m³/h	gpm	m	ft			mm	inch	kg	Lbs
EL354A	100	4	60	264	46	151	50 / 37	1450 / 1750	35	1,4	750	1655
EL354B	150	6	120	528	39	128	50 / 37	1450 / 1750	35	1,4	765	1685
EL604HH-A	100	4	100	440	49	161	100 / 75	1450 / 1750	35	1,4	1070	2360
EL604HH-B	150	6	200	881	35	115	100 / 75	1450 / 1750	35	1,4	1070	2360
EL604HH-C	200	8	250	1101	27	89	100 / 75	1450 / 1750	35	1,4	1070	2360
EL604S HH-A	100	4	100	440	50	164	120 / 90	1450 / 1750	35	1,4	1085	2390
EL604S HH-B	150	6	200	881	38	125	120 / 90	1450 / 1750	35	1,4	1085	2390
EL604S HH-C	200	8	250	1101	28	92	120 / 90	1450 / 1750	35	1,4	1085	2390
EL1204HH-A	100	4	100	440	72	236	120 / 90	1450 / 1750	35	1,4	1095	2415
EL1204HH-B	150	6	200	881	60	197	120 / 90	1450 / 1750	35	1,4	1095	2415
EL1204HH-C	200	8	300	1321	42	138	120 / 90	1450 / 1750	35	1,4	1095	2415